



High > 100 ppm
Active < 100 ppm

Active H2S Well List

Dickinson/FBIR

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
Active	BRUENI 11-28PH	BRUENI 28-1H CTB	Kuck Cole
Active	BURESH 44-10PH	BURESH 34-10TFH CTB	Kuck Cole
Active	FRANK 44-7PHU	FRANK 44-7PHU	Kuck Cole
Active	HAVELKA 21-15PH	HAVELKA 21-15PH CTB	Kuck Cole
Active	HENDERSON 4-25H	HENDERSON 4-25H	Soleim Justin
Active	JONES 3-15-23TH	JONES 3-15-23TH	Soleim Justin
Active	JONES 5-15-22TH	CPF 4-15X2 (JONES) CTB	Soleim Justin
Active	KDM 7-7-6BHD	CPF 14-7Y CTB	Soleim Justin
Active	KOPPINGER 31-13PH	KOPPINGER 31-13PH	Kuck Cole
Active	LAWLAR 2-5-8TH	CPF 4-5Y2 (LAWLARS) CTB	Soleim Justin
Active	LEVANG 3-22H	LEVANG 3-22H	Soleim Justin
Active	MHA 1-10-11H-149-91	CPF 5-10E (BULLET) CTB	Whitney Nicholas
Active	MHA 2-04-03H-149-91	CPF 12-04E (PISTOL) CTB	Whitney Nicholas
Active	MHA 2-10-15H-149-91	CPF 5-10E (BULLET) CTB	Whitney Nicholas
Active	MHA 3-10-11H-149-91	CPF 5-10E (BULLET) CTB	Whitney Nicholas
Active	MHA 3-32-29H-150-91	CPF 16-32B1 CTB	Whitney Nicholas
Active	MHA 4-04-03H-149-91	CPF 12-04E (PISTOL) CTB	Whitney Nicholas
Active	MHA 6-28-29H-148-92	CPF 9-28G CTB	Rogers Adam
Active	MOBERG 2-20-21TH	CPF 5-20Y CTB	Soleim Justin
Active	MOBERG 3-20-21BH	CPF 5-20Y CTB	Soleim Justin
Active	MOBERG 4-20/21H	CPF 5-20Y CTB	Soleim Justin
Active	MOBERG 4-20-21BH	CPF 5-20Y CTB	Soleim Justin
Active	STATE 5-36-1TH	CPF 4-36X (STATE) CTB	Soleim Justin
Active	STATE 9-36-1BH	CPF 4-36X (STATE) CTB	Soleim Justin
Active	TIPI V 1-13-12BH	CPF 15-13X2 CTB	Soleim Justin
Active	TIPI V 1-13-12TH	CPF 15-13X2 CTB	Soleim Justin
Active	TIPI V 5-13-12BH	CPF 14-1X (TIPI V) CTB	Soleim Justin
High	BURESH 41-15PH	HAVELKA 21-15PH CTB	Kuck Cole

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
High	JONES 3-15-22BH	CPF 4-15X2 (JONES) CTB	Soleim Justin
High	KDM 2-7-6T3HD	CPF 14-7Y CTB	Soleim Justin
High	KOSTELECKY 11-29PH	KOSTELECKY 31-29PH CTB	Kuck Cole
High	KUBAS 14-7PH	KUBAS 34-7PH CTB	Kuck Cole
High	KUNTZ 34-31PH	KUNTZ 34-31PH	Kuck Cole
High	MHA 1-03-02H-149-92	CPF 13-03D (SKUNK CREEK) CTB	Whitney Nicholas
High	MHA 1-06-05H-149-92	CPF 10-6D (BUFFALO) CTB	Whitney Nicholas
High	MHA 1-10-14H-149-91	CPF 5-10E (BULLET) CTB	Whitney Nicholas
High	MHA 1-31-25H-150-92	CPF 16-31B (INDEPENDENCE) CTB	Whitney Nicholas
High	MHA 1-31-36H-150-92	CPF 16-31B (INDEPENDENCE) CTB	Whitney Nicholas
High	MHA 2-10-11H-149-91	CPF 5-10E (BULLET) CTB	Whitney Nicholas
High	MHA 2-10-14H-149-91	CPF 5-10E (BULLET) CTB	Whitney Nicholas
High	MHA 2-27-34H-148-92R	CPF 14-22G CTB	Whitney Nicholas
High	MHA 3-03-02H-149-92	CPF 13-03D (SKUNK CREEK) CTB	Whitney Nicholas
High	MHA 3-06-01H-149-92	CPF 08-06E CTB	Whitney Nicholas
High	MHA 3-10-15H-149-91	CPF 5-10E (BULLET) CTB	Whitney Nicholas
High	MHA 4-10-14H-149-91	CPF 5-10E (BULLET) CTB	Whitney Nicholas
High	MHA 4-10-15H-149-91	CPF 5-10E (BULLET) CTB	Whitney Nicholas
High	MHA 5-06-05H-149-92	CPF 10-6D (BUFFALO) CTB	Whitney Nicholas
High	MHA 6-06-01H-149-92	CPF 4-5E2 CTB	Whitney Nicholas
High	OUKROP 34-34PH	OUKROP 34-34PH CTB	Kuck Cole
High	SOLBERG 34-12TFH	SOLBERG 34-12TFH CTB	Kuck Cole

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM



High > 100 ppm
Active < 100 ppm

Active H2S Well List

Robinson Lake

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
Active	BETH 5792 13-3B	LARS 5792 3-10 CTB	Hunt Kendell
Active	CALISTOGA 18-7-161-92H	CALISTOGA 18-7-161-92H	Hunt Kendell
Active	CALMERS FEDERAL 6092 43-14T	MITBO 6092 14-11 CTB	Hunt Kendell
Active	CANDITO 6093 43-28H	CANDITO 6093 43-28H	Hunt Kendell
Active	CELESTE 6092 43-34H	CELESTE 6092 43-34H	Hunt Kendell
Active	CINDY BLIKRE 41X-2C	CINDY BLIKRE 41X-2 CTB	Hunt Kendell
Active	CINDY BLIKRE 41X-2D	CINDY BLIKRE 41X-2 CTB	Hunt Kendell
Active	CINDY BLIKRE 41X-2G	CINDY BLIKRE 41X-2 CTB	Hunt Kendell
Active	CINDY BLIKRE 41X-2H	CINDY BLIKRE 41X-2 CTB	Hunt Kendell
Active	COMFORD 9-12H	COMFORD 9-12H	Hunt Kendell
Active	CRAIG 5892 31-28H	CRAIG FED 5892 31-28H	Hunt Kendell
Active	DELTA 6093 14-15 10T	DELTA 6093 15-16 CTB	Hunt Kendell
Active	DELTA 6093 14-15 9B	DELTA 6093 14-15 9B	Hunt Kendell
Active	DELTA 6093 24-15 3B	DELTA 6093 15-16 CTB	Hunt Kendell
Active	DELTA 6093 44-15 6T	DELTA 6093 44-15 6T	Hunt Kendell
Active	DELTA 6093 44-15 7B	DELTA 6093 15-16 CTB	Hunt Kendell
Active	DEMORRETT 5693 43-12B	HERON 5693 12-1 CTB	Hunt Kendell
Active	DESMOND FEDERAL 5792 13-12H	DESMOND FED 5792 13-12H	Hunt Kendell
Active	DISHON 5893 44-36 1T2	DISHON 5893 44-36 1T2	Hunt Kendell
Active	DOMALAKES 6092 44-16H	DOMALAKES 6092 44-16H	Hunt Kendell
Active	DUNLIN 5892 34-32H	DUNLIN 5892 34-32H	Hunt Kendell
Active	EDWARDS 6092 42-35H	EDWARDS 6092 42-35H	Hunt Kendell
Active	EMIE FEDERAL 5792 24-9H	EMIE FED 5792 24-9H	Hunt Kendell
Active	EVELYN 31X-3D	EVELYN 31X	Hunt Kendell
Active	EVELYN 31X-3GXH	EVELYN 31X	Hunt Kendell
Active	FOXTAIL 5892 42-12 #1H	FOXTAIL 5892 42-12 #1H	Hunt Kendell
Active	GARRAFFA 5693 41-11B	CASPIAN 5693 11-2 CTB	Hunt Kendell
Active	GASSER 5892 21-30T	PARADISE 5892 30-29 CTB	Hunt Kendell

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM



High > 100 ppm
Active < 100 ppm

Active H2S Well List

Robinson Lake

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
Active	HARVEY 5892 21-30B	PARADISE 5892 30-29 CTB	Hunt Kendell
Active	HOLLAND 9-19H	HOLLAND 9-19H	Hunt Kendell
Active	HYNEK 5693 42-35H	HYNEK 5693 35-26 CTB	Hunt Kendell
Active	ISLAND LAKE 6092 12-24H	ISLAND LAKE 6092 12-24H	Hunt Kendell
Active	J H VAN BERKOM 5992 12-6H	JH VAN BERKOM 5992 12-6H	Hunt Kendell
Active	KAITLIN FEDERAL 5693 41-28B	BLANCHET FED 5693 41-28 CTB	Hunt Kendell
Active	KEMPER 6193 14-14B	KEMPER 6193 14-14B	Hunt Kendell
Active	LACEY 14-3XH	LACEY 14-3XH CTB	Reinisch Nicholas
Active	LAPICA 34-23TFH	LAPICA 23O CTB	Simmons Wesley
Active	LARSON 44-12-4H	LARSON 44-12-4H	Hunt Kendell
Active	LYLA 24X-10	LYLA 24X	Hunt Kendell
Active	MALLARD 5692 21-20 #9T2	MALLARD 5692 20-21 CTB 1	Hunt Kendell
Active	MALLARD 5692 21-20 3B	MALLARD 5692 20-21 CTB 1	Hunt Kendell
Active	MALLARD 5692 31-22 6B	MALLARD 5692 21-20 CTB 2	Hunt Kendell
Active	MALLARD 5692 31-22 8B	MALLARD 5692 21-20 CTB 2	Hunt Kendell
Active	MANHATTAN FEDERAL 5792 11-2 3B	MANHATTAN 5792 2-1 CTB	Hunt Kendell
Active	MAROSI 6093 12-1B	WOLL 6093 1-12 CTB	Hunt Kendell
Active	MELVIN 6093 43-19H	MELVIN 6093 43-19H	Hunt Kendell
Active	MERRITT 5693 13-24 6B	MERRITT 5693 13-24 CTB	Hunt Kendell
Active	MHA 1-13-14H-150-91	MHA 1-13-14H-150-91	Reinisch Nicholas
Active	MHA 1-27-26H-150-92	CPF 8-28A (DISCO) CTB	Reinisch Nicholas
Active	MHA 1-29-30H-150-92	CPF 8-28A (DISCO) CTB	Reinisch Nicholas
Active	MHA 2-01-02H-149-91	MHA 2-01-02H-149-91	Reinisch Nicholas
Active	MHA 4-27-26H-150-92	CPF 8-28A (DISCO) CTB	Reinisch Nicholas
Active	MHA 5-27-26H-150-92	CPF 8-28A (DISCO) CTB	Reinisch Nicholas
Active	MHA 5-29-30H-150-92	CPF 8-28A (DISCO) CTB	Reinisch Nicholas
Active	MHA 6-29-30H-150-92	CPF 8-28A (DISCO) CTB	Reinisch Nicholas
Active	MHA 7-27-26H-150-92	CPF 8-28A (DISCO) CTB	Reinisch Nicholas

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
Active	MITBO FEDERAL 6092 43-14H	MITBO 6092 14-11 CTB	Hunt Kendell
Active	NELS 5792 13-3T	LARS 5792 3-10 CTB	Hunt Kendell
Active	NEVIS 6092 12-18H	NEVIS 6092 12-18H	Hunt Kendell
Active	NORRIS 5892 21-30B	PARADISE 5892 30-29 CTB	Hunt Kendell
Active	OAKVILLE 8-5-161-92H	OAKVILLE 8-5-161-92H	Hunt Kendell
Active	OASIS MEIERS 5692 11-19 10T	OASIS MEIERS 5692 11-19 CTB	Hunt Kendell
Active	OASIS MEIERS 5692 44-18 2B	OASIS MEIERS 5692 19-30 CTB	Hunt Kendell
Active	OVERAL 5892 11-30T	PARADISE 5892 30-29 CTB	Hunt Kendell
Active	PAULSON 11-25H	PAULSON 11-25H	Hunt Kendell
Active	R W CLARK 6092 43-9H	RW CLARK 6092 43-9H	Hunt Kendell
Active	REYNOLDS 5693 42-11T	CASPIAN 5693 11-2 CTB	Hunt Kendell
Active	RJ TITUS 6093 42-20H	RJ TITUS 6093 42-20H	Hunt Kendell
Active	ROWLEY 6093 43-23H	ROWLEY 6093 43-23H	Hunt Kendell
Active	SARATOGA FEDERAL 12-1-161-92H (F/O)	SARATOGA 12-1-161-92H	Hunt Kendell
Active	SHAFFER 6093 13-1B	WOLL 6093 1-12 CTB	Hunt Kendell
Active	SHAW 6092 11-23 5T2		Hunt Kendell
Active	SHAW 6092 11-23 6B	SHAW 6092 21-22 CTB	Hunt Kendell
Active	SHAW 6092 11-23 7T	SHAW 6092 21-22 CTB	Hunt Kendell
Active	STATE 5792 11-15H	STATE 5792 15-14 CTB	Hunt Kendell
Active	STATE 5792 31-15 3B	STATE 5792 15-14 CTB	Hunt Kendell
Active	STATE 5792 31-15 5T	STATE 5792 15-14 CTB	Hunt Kendell
Active	SWEETGUM 6092 13-24H	SWEETGUM 6092 13-24H	Hunt Kendell
High	AARESTAD 4-27H	AARESTAD 4-27H	Hunt Kendell
High	BRONSON 31X-14	BRONSON 31X	Hunt Kendell
High	COLLYER 9-8H	COLLYER 9-8H	Hunt Kendell
High	DAVIDSON 14X-34	DAVIDSON 14X	Hunt Kendell
High	DELTA 6093 14-15 11B	DELTA 6093 15-16 CTB	Hunt Kendell
High	DELTA 6093 34-15H	DELTA 6093 15-16 CTB	Hunt Kendell

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
High	FAIRFAX 6093 12-26B	JOLLY 6093 23-14 CTB	Hunt Kendell
High	HANSEN 34X-10C	HANSEN 34X	Hunt Kendell
High	KRISTENSEN 24X-9B	KRISTENSEN 24X	Hunt Kendell
High	KUKUK 6192 43-21B	KUKUK 6192 43-21B	Hunt Kendell
High	LUCY 11-23H	LUCY 11-23H	Hunt Kendell
High	MALLARD 5692 21-20 #10B	MALLARD 5692 20-21 CTB 1	Hunt Kendell
High	MALLARD 5692 21-20 #4T	MALLARD 5692 20-21 CTB 1	Hunt Kendell
High	MALLARD 5692 31-22 11T2		
High	POSTEL 5693 44-35B	HYNEK 5693 35-26 CTB	Hunt Kendell
High	ROBUCK 6093 13-1T	WOLL 6093 1-12 CTB	Hunt Kendell
High	RUTHERFORD 24-25-161-93H	RUTHERFORD 24-25-161-93H	Hunt Kendell
High	SCHILKE 16-21-1H	SCHILKE 16-21-1H	Hunt Kendell
High	SCHILKE 24-21-1H	SCHILKE 24-21-1H	Hunt Kendell
High	SHELL CREEK STATE 11-16H	SHELL CREEK 11-16H CTB	Reinisch Nicholas
High	STATE 5792 31-15 7B	STATE 5792 15-14 CTB	Hunt Kendell
High	THOR ERIE 44-18H	THOR ERIE 44-18H	Hunt Kendell
High	THORNBURGH 6092 44-15H	THORNBURGH 6092 44-15H	Hunt Kendell
High	W NYSTUEN 159-98-15-9-4-2H3	W NYSTUEN 2H3	Hunt Kendell
High	WILDROSE 159-97-13-8-20-13H3	WILDROSE FED 13-8-20-13H3	Hunt Kendell
High	WILDROSE 159-98-14-12-1-3H3	WILDROSE 14-12-1-3H3	Hunt Kendell
High	WILDROSE 159-98-14-12-24-14H3	WILDROSE 14-12-24-14H3	Hunt Kendell
High	WILDROSE 159-98-15-10-3-3H3	WILDROSE FED 15-10-3-3H3	Hunt Kendell

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
	MORK TRUST 21-17-7H	MORK TRUST 21-17H CTB	Fox Wesley
Active	A. JOHNSON 5397 43-33 10B	A JOHNSON 5397 43-33 CTB	Samuelson Scott
Active	A. JOHNSON 5397 43-33 9B	A JOHNSON 5397 43-33 CTB	Samuelson Scott
Active	AAGVIK 5298 41-35 2TX	AAGVIK 5298 41-35 CTB	Samuelson Scott
Active	AAGVIK 5298 41-35 3BX	AAGVIK 5298 41-35 CTB	Samuelson Scott
Active	ALLEN 5197 44-36 5B	ALLEN 5197 44-36 CTB	Samuelson Scott
Active	ALLEN 5197 44-36 6B	ALLEN 5197 44-36 CTB	Samuelson Scott
Active	BERGEM 5199 43-33 5B	BERGEM 43-33 CTB	VanWhy Luke
Active	BERQUIST 5298 13-27 9B	BERQUIST 5298 11-27 CTB	Samuelson Scott
Active	BRODERSON 2X-27HB	BRODERSON 2-27H CTB	Fox Wesley
Active	CEYNAR 29-32H	CEYNAR 29-32H	Samuelson Scott
Active	CHALMERS 5300 21-19 6B	CHALMERS 5300 19-20 CTB 1	Cayko Lucas
Active	CURL 21-14-2H	CURL 21-14H CTB	Fox Wesley
Active	FLATLAND 43-9HU	FLATLAND FED 43-9HU	Samuelson Scott
Active	JAYNES 16-12H	JAYNES 16-12H CTB	Cayko Lucas
Active	JOPLIN 5397 42-32 5B	JOPLIN 5397 42-32 CTB	Samuelson Scott
Active	KOALA 16-32-29-1H3	KOALA 16-32-29 CTB	VanWhy Luke
Active	KOALA 2-25-36-16H3	KOALA FED 02-25-36 CTB	VanWhy Luke
Active	KUMMER 14-31H	KUMMER 14-31H CTB	Fox Wesley
Active	LINDVIG 11-13	LINDVIG 11-13	Ash Ethan
Active	MILDRED NELSON 5298 13-25 8B	MILDRED NELSON 5298 13-25 CTB	Samuelson Scott
Active	MORK TRUST 21-17-2H	MORK TRUST 21-17H CTB	Fox Wesley
Active	MURI 5198 11-4 14T	MURI 5198 12-4 CTB	VanWhy Luke
Active	MURI 5198 11-4 3B	MURI 5198 12-4 CTB	VanWhy Luke
Active	MURI 5198 11-4 4T	MURI 5198 12-4 CTB	VanWhy Luke
Active	NELSON 5298 14-26 12BX	AAGVIK NELSON 5298 14-26 CTB	Samuelson Scott
Active	NIKOLAI FEDERAL 5297 11-6 10BX	NIKOLAI FED 5297 11-6 10BX	Samuelson Scott
Active	NORDENG 5298 12-25W 3B	NORDENG 5298 12-25 CTB	Samuelson Scott

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM



High > 100 ppm
Active < 100 ppm

Active H2S Well List

Watford City

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
Active	NORDENG 5298 13-25 8B	NORDENG 5298 43-24 CTB	Samuelson Scott
Active	NORGARD 41-14H	CURL 21-14H CTB	Fox Wesley
Active	PATSY 5198 12-17 10B	PATSY 5198 12-17 CTB	VanWhy Luke
Active	PATSY 5198 14-17 11B	PATSY 5198 14-17 CTB	VanWhy Luke
Active	RENBARGER 24-34-1H	RENBARGER 24-34 CTB	Samuelson Scott
Active	RENBARGER 24-34HU	RENBARGER FED 24-34HU	Samuelson Scott
Active	RENBARGER FEDERAL 24-33-1TFH	RENBARGER FED 24-33 CTB	Samuelson Scott
Active	RENBARGER FEDERAL 24-33-2H	RENBARGER FED 24-33 CTB	Samuelson Scott
Active	RENBARGER FEDERAL 34-33-1H	RENBARGER FED 24-33 CTB	Samuelson Scott
Active	RENBARGER FEDERAL 34-33-2TFH	RENBARGER FED 24-33 CTB	Samuelson Scott
Active	SMOKEY 13-7-19-14H3M	SMOKEY 13-7 CTB	Fox Wesley
Active	SMOKEY 15-7-19-15H	SMOKEY 16-7 CTB	Fox Wesley
Active	SMOKEY 2-16-21-16H3	SMOKEY 02-16-21 CTB	Fox Wesley
Active	SONDROL 30-21H	SONDROL 30C CTB	Fox Wesley
Active	STENBERG 5199 11-9 7B	STENBERG 5199 11-9 CTB	VanWhy Luke
Active	STENBERG 5199 11-9 8B	STENBERG 5199 11-9 CTB	VanWhy Luke
Active	TARPON FEDERAL 21-4-1H	TARPON FED 21-4H CTB	Samuelson Scott
Active	TARPON FEDERAL 44-19-4H	TARPON FED 44-19 CTB	Samuelson Scott
Active	TARPON FEDERAL 44-19-5H	TARPON FED 44-19 CTB	Samuelson Scott
Active	THELEN 5297 11-6 4B	THELEN 5297 12-6 CTB	Samuelson Scott
Active	THELEN 5297 12-6 7B	THELEN 5297 12-6 CTB	Samuelson Scott
Active	WOLD 34-27H	WOLD 34-27H	Samuelson Scott
Active	WOLD 5297 11-6 2B	WOLD 5397 43-34 CTB	Samuelson Scott
Active	WOLD 5397 43-34 4B	WOLD 5397 43-34 CTB	Samuelson Scott
Active	WOLD 5397 43-34 5B	WOLD 5397 43-34 CTB	Samuelson Scott
Active	WOLD 5397 43-34 6B	WOLD 5397 43-34 CTB	Samuelson Scott
High	KLOSE 151-103-26B-35-1H	KLOSE FED 151-103-26B-35-1H	Ash Ethan
High	KUMMER 14-31-2H	KUMMER 14-31H CTB	Fox Wesley

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM



High > 100 ppm
Active < 100 ppm

Active H2S Well List

Watford City

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
High	MORK TRUST 21-17-6H	MORK TRUST 21-17H CTB	Fox Wesley
High	RAMIREZ 5196 42-32 2B	RAMIREZ 5196 42-32 CTB	Samuelson Scott
High	RAMIREZ 5196 42-32 3B	RAMIREZ 5196 42-32 CTB	Samuelson Scott
High	TARPON FEDERAL 34-20-2TFH	TARPON FED 24-20 CTB	Samuelson Scott
High	TARPON FEDERAL 44-19TFHU	TARPON FED 44-19 TFHU	Samuelson Scott
High	WISNESS 14-34H	WISNESS 14-34H CTB	Fox Wesley

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM



High > 100 ppm
Active < 100 ppm

Active H2S Well List

Williston

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
Active	BERGER 156-100-14-7-19-13H	P BERGER 156-100-14-7-19 CTB	Wills Travis
Active	BERGSTROM 11-13H	BERGSTROM 11-13TFH CTB	Tinnes Todd
Active	BERGSTROM 11-13TFH	BERGSTROM 11-13TFH CTB	Tinnes Todd
Active	CAVALLI STATE 156-100-9-4-11TFH	CAVALLI ST 9 CTB	Wills Travis
Active	CHARLIE 5603 43-19H	CHARLIE 5603 43-19H	Crain Bryan
Active	CRANE FEDERAL 5300 34-27 7B	CRANE FED 5300 34-27 CTB	Couture David
Active	DAVE T 2958 13-25H	DAVE T 2958 13-25H	Crain Bryan
Active	HANOVER FEDERAL 5300 44-11 2B	HANOVER FED 5300 14-23 CTB A	Couture David
Active	HOLMES 5501 11-5 #3B	HOLMES 5601 32-29 CTB	Tinnes Todd
Active	HOLMES 5501 12-5 4B	HOLMES 5601 32-29 CTB	Tinnes Todd
Active	HUNTER 21-26-3H	HUNTER 21-26 CTB	Crain Bryan
Active	HUNTER 21-26-4H	HUNTER 21-26 CTB	Crain Bryan
Active	IRGENS 41-17-2H	IRGENS 41-17-2H	Wills Travis
Active	JACKMAN 44-10-2H	JACKMAN 44-10-2H	Wills Travis
Active	JACKMAN 44-10-2TFH	JACKMAN 44-10-2TFH	Wills Travis
Active	JOHNSON 24-7-3TFH	JOHNSON 7TFH CTB	Huffman Paul
Active	LINDY 156-100-10-3-1H	LINDY 10 CTB	Wills Travis
Active	LINDY 34-10-1H	LINDY 10 CTB	Wills Travis
Active	LINDY 34-10-1TFH	LINDY 10 CTB	Wills Travis
Active	LUKENBILL 34-11-2H	LUKENBILL 11O CTB	Tinnes Todd
Active	MAE 5603 43-19H	MAE 5603 43-19H	Crain Bryan
Active	MCCAULEY 5601 41-34 4B	MCCAULEY 5501 34-27 CTB	Tinnes Todd
Active	MILLER 31-15-2H	ARK 21-15 CTB	Tinnes Todd
Active	MILLER 31-15H	ARK 21-15 CTB	Tinnes Todd
Active	MOLINE 41-15-1TFH	MOLINE 15A CTB	Wills Travis
Active	MULLIN 21-24-2H	MULLIN 21-24 CTB	Crain Bryan
Active	NELSON 24-13H	NELSON 24-13H	Wills Travis
Active	P BERGER 156-100-14-7-6-3-4H3	P BERGER 156-10-14-7-6 CTB	Wills Travis

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM



High > 100 ppm
Active < 100 ppm

Active H2S Well List

Williston

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

Sour Class	Well Name	Stop	Foreman
Active	P BERGER 156-100-14-7-6-3H	P BERGER 156-10-14-7-6 CTB	Wills Travis
Active	P BERGER 156-100-14-7-6-4H	P BERGER 156-10-14-7-6 CTB	Wills Travis
Active	PETERSON 41-15-5H	PETERSON FED 15A CTB	Tinnes Todd
Active	ROMO BROTHERS 4-19H	ROMO BROTHERS 4-19H	Crain Bryan
Active	SCOTT OLSON 31-1H	OLSON 1B CTB	Tinnes Todd
Active	SOLBERG 21-2H	SOLBERG 11-2H CTB	Tinnes Todd
Active	STREAMSONG 5502 11-17 2B	MARIDOE 5502 11-17	Couture David
Active	STREAMSONG 5502 11-17 3B	MARIDOE 5502 11-17	Couture David
Active	SUNDHEIM 21-3-1H	SUNDHEIM 21-3 CTB	Crain Bryan
Active	SUNDHEIM 21-3-3H	SUNDHEIM 21-3 CTB	Crain Bryan
Active	SUNDHEIM 31-17-1H NON-CONSENT	SUNDHEIM 31-17-1H	Crain Bryan
Active	VANCE 11-17TFHU	VANCE FED 11-17TFHU	Huffman Paul
Active	WATTS 42-21-2H	WATTS 42-21 CTB	Crain Bryan
Active	YEISER 5603 42-33H	YEISER 5603 42-33H	Crain Bryan
High	BRIANM 2958 43-10H	BRIANM 2958 43-10H	Crain Bryan
High	G BERGSTROM 41-13TFH	BERGSTROM G 31-13H CTB	Tinnes Todd
High	JACKMAN 34-11-4TFH	JACKMAN 11O CTB	Wills Travis
High	JENNA 5604 13-1H	JENNA 5604 13-1H	Crain Bryan
High	KALDAHL 34-12H	KALDAHL 34-12H CTB	Tinnes Todd
High	KALDAHL 34-12TFH	KALDAHL 34-12H CTB	Tinnes Todd
High	KALDAHL 44-12TFH	KALDAHL 34-12H CTB	Tinnes Todd
High	MILLER 14-12TFH	MILLER 14-12H CTB	Tinnes Todd
High	MULLIN 21-24-3H	MULLIN 21-24 CTB	Crain Bryan
High	O M ERICKSON 5501 42-19H	OM ERICKSON 5501 42-19H	Couture David
High	P JACKMAN 156-100-2-18-6-1H	P JACKMAN 156-100-2-18-6 CTB	Wills Travis

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM



High > 100 ppm
Active < 100 ppm

Active H2S Well List

Williston

Respiratory Protection Readiness Required at the listed locations. Make sure to follow your company's H2S procedures/policies at every location.

YOU SHOULD ALWAYS ASSUME H2S IS PRESENT AT ANY LOCATION AND FOLLOW ALL H2S PROCEDURES AND POLICIES AT EVERY LOCATION. If no data appears for a location, H2S may still be present in unsafe concentrations at that location. H2S concentrations can increase over time, and the data provided here may not be accurate for today's conditions. While Chord Energy has tried to ensure accurate and reliable H2S data, Chord Energy makes no representation, warranty, or guarantee as to its accuracy and hereby expressly disclaims any liability or responsibility for loss or damage resulting from failure to use industry recommended H2S safety precautions.

2/2/2025 3:15:07 PM